Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
15	477	(rout\$3:ab. or forward\$3.ab.) and (call.ab. or incoming.ab.) and ((identifier or number) with alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:02
L2	2	1 and (threshold with memory). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:51
L3	12	1 and ((conver\$4 or record\$3) with (data or text) with (audible or voice)).clm:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:53
L4	1	1 and ((conver\$4 or record\$3) with (data or text) with (audible or voice) with (msc or mobile adj switching adj center)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:58
LS	1	1 and ((conver\$4 or record\$3) with (data or text) with (audible or voice) with (msc or mobile adj switching adj center))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:54
L6	28	1 and ((conver\$4 or record\$3) with (data or text) adj10 (audible or voice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:54
L7	5	1 and ((conver\$4 or record\$3) with (data or text) adj10 (audible or voice)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:55
L8	8	((conver\$4 or record\$3) with (data or text) with (audible or voice) with (msc or mobile adj switching adj center)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:58

		LAST Scare	-	•		
L9	1	((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with (msc or mobile adj switching) with (conver\$4 or record\$3) with (data or text) with (speech or voice or audible)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:04
L10	1	((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with (msc or mobile adj switching) with (conver\$4 or record\$3) with (data or text) with (speech or voice or audible))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06:15:04
L11	0	((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with (msc or mobile adj switching) with threshold with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:04
L12	0	((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with (msc or mobile adj switching) with threshold with memory).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:05
L13	0	((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with (wireless or mobile or cellular or radio) with threshold with memory).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:05
L14	1	((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with (wireless or mobile or cellular or radio) with threshold with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:08
L15	1	(wireless or mobile or cellular or radio).ab. and ((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with threshold with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:10
L16	3	(wireless or mobile or cellular or radio).ab. and ((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with (text or data) with (speech or voice or audible))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 15:12

L17	1	(wireless or mobile or cellular or	US-PGPUB;	OR	OFF	2006/04/06 15:12
L1/	1	radio).ab. and ((rout\$3 or forward\$3) with (call or incoming) with ((identifier or number) with alternate) with (text or data) with (speech or voice or audible)).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK .	UFF	2006/04/06 15:12
S1	4	(("5325419") or ("6522876") or ("6718178") or ("5657375")).PN.	USPAT	OR	OFF	2005/08/24 13:32
S2	44	miz\$8 and "455"/\$.ccls. and (forward) and (facsimile or fax)	USPAT	OR	OFF	2005/08/24 13:34
53	69	"455"/\$.ccls. and (rout\$3.ab. or forward\$3.ab.) and (call.ab. or incoming.ab.) and ((identifier or number) with alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:47
S4	27	S3 and (type with (call or communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:17
S5	20	S4 and (rout\$3 or foward\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:18
S6	7	S4 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:48
S7	42	S3 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:48
S8	20	S7 and (rout\$3 or foward\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:49

S9	15	S8 and (availab\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:49
S10	86	"455"/\$.ccls. and (rout\$3.ab. or forward\$3.ab.) and (call.ab. or incoming.ab.) and ((identifier or number or device or phone) with alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:11
S11	17	S10 not S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 13:56
S12	86	"455"/\$.ccls. and (rout\$3.ab. or forward\$3.ab.) and (call.ab. or incoming.ab.) and ((identifier or number or device or phone) with alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24:15:11
S13	2	S12 and (threshold with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:48
S14	1	S12 and (conver\$4 with text with (audible or voice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:49
S15	4	S12 and (conver\$4 with (data or text) with (audible or voice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:19
S16	3	S15 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:14

S17	5	S12 and (conver\$4 with (data or text) with (audible or voice or audio))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:19
S18	1	S17 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:19
S19	73	"455"/\$.ccls. and (rout\$3.ab. or forward\$3.ab.) and (call.ab. or incoming.ab.) and ((identifier or number) with alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:17
S20	29	S19 and (type with (call or communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:17
S21	20	S20 and (rout\$3 or foward\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:18
S22	10	S21 and (memory with (device or terminal or unit or phone or facsimile or fax or telephone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:31
S23	1	S21 and ((text or data) with (voice or audible) with (conve\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:35
S24	10	S21 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:35

S25	10	S24 not S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/01 19:36
S26	73	"455"/\$.ccls. and (rout\$3.ab. or forward\$3.ab.) and (call.ab. or incoming.ab.) and ((identifier or number) with alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:51
S27	2	S26 and (threshold with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:49
S28	1	S26 and (threshold with memory). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:52
S29	1	S26 and (conver\$4 with text with (audible or voice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:50
S30	1	S26 and (conver\$4 with text with (audible or voice)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2006/04/04 13:51
S31	1	S26 and ((conver\$4 or record\$3)with (data or text) with (audible or voice)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 13:55
S32	475	(rout\$3.ab. or forward\$3.ab.) and (call:ab. or incoming.ab.) and ((identifier or number) with alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:50

<del></del>			T	r		T
S33	2	S32 and (threshold with memory). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:51
S34	12	S32 and ((conver\$4 or record\$3)with (data or text) with (audible or voice)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 14:52
S35	5	S32 and ((conver\$4 or record\$3)with (data or text) adj10 (audible or voice)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:30
S36	31	S32 and (incoming with (text or data)) and ((conver\$4 or record\$3)with (data or text) with (audible or voice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04:14:31
S37	25	S36 not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:31
S38	5	S37 and (incoming with (text or data)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/04 14:31